



YONG KANG DADE TOOLS MANUFACTURING CO.,LTD

Add: No.229 Xishan road, economic development zone,

yongkang, zhejiang, China

TEL: +86 579 87226396

FAX: +86 579 87225626

EMAIL: SALES@MEXTOOLS.COM

[Http://www.mextools.com](http://www.mextools.com)



MEX TOOLS
Professional pneumatic tools

PROFESSIONAL TOOLS

Company profile

MEX Tools was established in 2003, has 70+ employees, and 5000m² of factory floor space. It accepts OEM/ODM orders. Products include air nailers, electric nailers, stapler, nails, and parts. Products are mainly used in furniture manufacturing, construction and internal decoration, and factory assembly line for many other applications.



PRODUCT CATALOGUE

- 01--Stapler

02--Brad nailer

03--Concrete nailer

04--Deco Nailer

05--Coil nailer

06--Air Remover

07--Flexible Stapler

08--C Ring Plier

09--Clipping Gun

10--Plastic Nailer
- 11--Headless Pinner

12--Air Insulation Nanler

13--Screwdriver

14--Air Sander

15--Cocofiber Staple Gun

16--Spare Parts

17--Auxiliary Pars

18--Pneumatic Die Grinder



- Roofing, carpentry
- Skeleton fixed, furniture joint
- Upholstery, sofa leather
And furniture such as mattresses
- Door, window, picture frame,
wall panel decoration
And building material fixation
- Cabinets, furniture as well
Light wood joint
- Packing, crate and pallet fastening
- Wall panel fixing, covering,
Panel decoration, fence fixed
- Construction of industrial
pre-HDB flats




8416/7116

Features and Applications

- Magazine with harden treatment for smooth and longer life
- Strong strengt,and rapid air–return
- Use for upholstery/Furniture/Sofa etc.

特点和用途

- 采用硬质处理弹匣，使用寿命更长久
- 力道强劲，回气快速
- 装潢，家具制造，细小木工，沙发布料皮革的装嵌
汽、摩行业坐垫、内饰件的钉合等



型号 Model	钉长 Nail length		钉径 Nails Shank		肩宽 Crown		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight		外箱尺寸 Dimensions	装箱数 / 台 Packing
	inch	mm	inch	mm	inch	mm			G.W	N.W	mm	(PCS/CTN)
8416 / 7116	3/8"~1"	6~16	0.26"×0.37"	0.65×0.95	1/2"	12.3	60–100PSI 0.4–0.7MPa	150pcs	1.2	0.9	345×310×265	10




9040 (18GA) 9240 (18GA)

Features and Applications

- Magazine with harden treatment for long life and smooth
- Strong strength,and rad rapid air–return
- Wood furniture/Sofa/Wood case/Pallet etc.

特点和用途

- 采用硬质处理弹匣，使用寿命更长久
- 力道强劲，回气快速
- 木框架 / 沙发 / 骨架 / 木箱 / 托盘等



型号 Model	钉长 Nail length		钉径 Nails Shank		肩宽 Crown		适用气压 Operating Pressure	装钉量 Load Capacity	重量 Weight		外箱尺寸 Dimensions	装箱数 / 台 Packing
	inch	mm	inch	mm	inch	mm			G.W	N.W	mm	(PCS/CTN)
9040	3/4"~1-9/16"	19~40	0.05"×0.04"	1.25×1.05	7/32"	5.7	80–120PSI 0.5–0.8MPa	100pcs	2.9	2.2	605×395×275	8
9240	3/4"~1-9/16"	19~40	0.05"×0.04"	1.25×1.05	1/3"	8.8	80–120PSI 0.5–0.8MPa	100pcs	2.9	2.2	605×395×275	8







1013J/1010F

Features and Applications

- Magazine with harden treatment for smooth and longer life
- Strong strengt,and rapid air–return
- Use for upholstery/Furniture/Sofa etc.

特点和用途

- 采用硬质处理弹匣，使用寿命更长久
- 力道强劲，回气快速
- 装潢，家具制造，细小木工，沙发布料皮革的装嵌
汽、摩行业坐垫、内饰件的钉合等



型号 Model	钉长 Nail length		钉径 Nails Shank		肩宽 Crown		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight		外箱尺寸 Dimensions		装箱数 / 台 Packing
	inch	mm	inch	mm	inch	mm			G.W	N.W	mm	(PCS/CTN)	
1013J	1/4"~1/2"	6~13	0.030"×0.021"	1.2×0.6	7/16"	11.2	60–100PSI 0.4–0.8MPa	100pcs	1.2	0.9	345×310×265		10
1010F	1/4"~1/2"	6~10	0.03"×0.02"	0.75×0.55	7/16"	11.2	60–100PSI 0.4–0.7MPa	100pcs	1.2	0.9	345×310×265		10





8016 / 1416

Features and Applications

- Magazine with harden treatment for smooth and longer life
- Strong strengt,and rapid air–return
- Use for upholstery/Furniture/Sofa etc.

特点和用途

- 采用硬质处理弹匣，使用寿命更长久
- 力道强劲，回气快速
- 装潢，家具制造，细小木工，沙发布料皮革的装嵌
汽、摩行业坐垫、内饰件的钉合等



型号 Model	钉长 Nail length		钉径 Nails Shank		肩宽 Crown		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight		外箱尺寸 Dimensions		装箱数 / 台 Packing
	inch	mm	inch	mm	inch	mm			G.W	N.W	mm	(PCS/CTN)	
1416	1/4"~5/8"	6~16	0.030"×0.021"	0.55×0.75	7/16"	10.1	60–100PSI 0.4–0.7MPa	180pcs	1.2	0.9	345×310×265		10
8016	1/4"~5/8"	6~16	0.036"×0.030"	0.9×0.7	1/2"	12.8	60–100PSI 0.4–0.7MPa	130–150pcs	1.2	0.9	345×310×265		10






422J/1022J/425K

Features and Applications

- Magazine with harden treatment for smooth and longer life
- Strong strengt,and rapid air–return
- Use for furniture/Upholstery/Ceiling/rattan furniture etc.

特点和用途

- 采用硬质处理弹匣，使用寿命更长久 力道强劲，回气快速
- 装潢 / 家具制造 / 细小木工等



型号 Model	钉长 Nail length		钉径 Nails Shank		肩宽 Crown		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight		外箱尺寸 Dimensions	装箱数 / 台 Packing
	inch	mm	inch	mm	inch	mm			G.W	N.W	mm	(PCS/CTN)
422J	3/8"~7/8"	10~22	0.047"×0.024"	1.2×0.6	3/16"	5.2	60~100PSI 0.4~0.7MPa	100pcs	1.4	1.2	405×350×280	10
1022J/1022JB	3/8"~7/8"	10~22	0.047"×0.024"	1.2×0.6	7/16"	11.2	60~100PSI 0.4~0.7MPa	100pcs	1.4	1.2	405×350×280	10
425K	3/8"~1"	10~25	0.05"×0.04"	1.25×1.05	3/16"	5.7	60~100PSI 0.4~0.7MPa	100pcs	1.4	1.2	405×350×280	10



Photo frame
相框

Carton
纸箱

Furniture
家具

Shoes
鞋子

Horticulture
园艺

Car seat
汽车座椅

Fences
铁网

Greenhouses
铁网

bamboo fence
篱笆

Pallet
托板

Architecture
建筑

Millwork
木工制品



1022JB Carton Stapler
Used for binding peper boxes






8016/420

Features and Applications

- Furniture make and repair Cloth and wood connection Picture frams Decoration
- Light weight body for easy operation
- Low noisy have good feedback from custoerm
- Powerful strength and excellent durability

特点和用途

- 家具制作和修理布木连接画框装饰
- 身体重量轻，便于操作
- 噪音低，客户反馈良好。强度大，耐用性好



型号 Model	钉长 Nail length		钉径 Nails Shank		肩宽 Crown		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight	外箱尺寸 Dimensions	装箱数 / 台 Packing
	inch	mm	inch	mm	inch	mm			G.W	mm	(PCS/CTN)
8016 / 420	1/4"~5/8"	6~16	0.036"×0.030"	0.9×0.7	1/2"	12.8	60–100PSI 0.4–0.7MPa	130–150pcs	11.2	440×270×315	10




7116/421

Features and Purpose

- Furniture make and repair Cloth and wood connection Picture frams Decoration
- Light weight body for easy operation
- Low noisy have good feedback from custoerm Powerful strength and excellent

特点和用途

- 家具制作和修理布木连接画框装饰
- 机身重量轻，操作方便
- 低噪声，用户反馈良好



型号 Model	钉长 Nail length		钉径 Nails Shank		肩宽 Crown		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight	外箱尺寸 Dimensions	装箱数 / 台 Packing
	inch	mm	inch	mm	inch	mm			G.W	mm	(PCS/CTN)
7116 / 421	3/8"~1"	6~16	0.26"×0.37"	0.65×0.95	1/2"	12.3	60–100PSI 0.4–0.7MPa	150pcs	12.5	440×270×315	10



2 in 1 Nail Gun


F50 / 9040

Features and Applications

- Quick removal of nails without disassembly
- Light weight to carry, 360° adjustable exhaust
- The stitching of solid wood plywood

特点和用途

- 免拆卸可快速取出钉子
- 重量轻便于携带，360° 可调排气
- 木工板 实木板 三合板的钉合



型号 Model	使用钉子型号 Nail type	钉长 Nail length		钉径 Nails Shank		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight		外箱尺寸 Dimensions		装箱数 / 台 Packing
		mm	inch	mm	inch			G.W	N.W	mm	(PCS/CTN)	
F50/9040	F/90	F:20-50 90:20-40	F:3/4-2 90: 1-9/16	1.25*1.05	0.05*0.04	60-100PSI 0.5-0.8MPa	100pcs	1.8	1.4	595 × 365 × 285	8	

Photo frame
相框

Carton
纸箱

Furniture
家具

Shoes
鞋子

Horticulture
园艺

Car seat
汽车座椅

Fences Greenhouses
铁网

bamboo fence

Pallet
托板

Architecture
建筑

Millwork
木工制品

Stapler 码钉枪


N851 (16GA)

Features and Applications

- Magazine with harden treatment for long life and smooth
- Strong strength, and rapid air-return
- Wood frame / floor / wooden box / Pallet etc.

特点和用途

- 采用硬质处理弹匣，使用寿命更长久
- 力道强劲，回气快速
- 木框架 / 地板 / 木箱 / 托盘制作等



型号 Model	钉长 Nail length		钉径 Nails Shank		肩宽 Crown		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight		外箱尺寸 Dimensions		装箱数 / 台 Packing
	inch	mm	inch	mm	inch	mm			G.W	N.W	mm	(PCS/CTN)	
N851	1"~2-1/5"	25~51	0.063" × 0.055"	1.6 × 1.4	13/32"	10.8	80-120PSI 0.5-0.8MPa	70pcs	4.4	3.1	600 × 375 × 350	5	

Photo frame
相框

Carton
纸箱

Furniture
家具

Shoes
鞋子

Horticulture
园艺

Car seat
汽车座椅

Fences Greenhouses
铁网

bamboo fence
篱笆

Pallet
托板

Architecture
建筑

Millwork
木工制品

Brad Nailer 直钉枪




F30/F30A F32 (18GA)

Features and Applications

- Magazine with harden treatment for smooth and longer life
- Strong strengt,and rapid air-return
- Use for furniture/Upholstery/Board fixed/frame etc.

特点和用途

- 采用硬质处理弹匣，使用寿命更长久
- 力道强劲，回气快速
- 装潢 / 家具制造 / 细小木工 / 三合板 / 条板 / 木箱的制作等



型号 Model	钉长 Nail length		钉径 Nails Shank		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight		外箱尺寸 Dimensions	装箱数 / 台 Packing
	inch	mm	inch	mm			G.W	N.W		
F30/F30A/F32	3/8"~1-3/16"	10~30	0.05"×0.04"	1.25×1.05	60~100PSI 0.4~0.7MPa	100pcs	1.4	1.2	405×350×280	10



Finish Nailer 精修钉枪




T50-1 (16GA) T50A

Features and Applications

- Magazine with harden treatment for smooth and longer life
- Strong strengt,and rapid air-return
- Use for furniture/Upholstery/Board fixed/frame etc.

特点和用途

- 采用硬质处理弹匣，使用寿命更长久
- 力道强劲，回气快速
- 装潢 / 家具制造 / 细小木工 / 三合板 / 条板 / 木箱的制作等



型号 Model	钉长 Nail length		钉径 Nails Shank		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight		外箱尺寸 Dimensions	装箱数 / 台 Packing
	inch	mm	inch	mm			G.W	N.W		
T50-1 / T50A	3/4"~2"	20~50	0.063"×0.055"	1.6×1.4	80~120PSI 0.5~0.8MPa	100pcs	2.3	1.9	660×375×270	8







F50/F50A (18GA)

Features and Applications

- Magazine with harden treatment for smooth and longer life
- Strong strengt,and rapid air–return
- Use for furniture/Upholstery/Board fixed/frame etc.

特点和用途

- 采用硬质处理弹匣，使用寿命更长久
- 力道强劲，回气快速
- 装潢 / 家具制造 / 细小木工 / 三合板 / 条板 / 木箱的制作等



型号 Model	钉长 Nail length		钉径 Nails Shank		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight		外箱尺寸 Dimensions	装箱数 / 台 Packing
	inch	mm	inch	mm			G.W	N.W		
F50/F50A	3/4"~2"	20~50	0.05"×0.04"	1.25×1.05	60~100PSI 0.4~0.7MPa	100pcs	1.9	1.5	605×395×275	8



FST35 FST50 (16GA)

Features and Applications

- Magazine with harden treatment for long life and smooth
- Strong strength,and rad rapid air–return
- Concrete/Furniture upholstery/Cabinet/Frame etc.

特点和用途

- 采用硬质处理弹匣，使用寿命更长久
- 力道强劲，回气快速
- 混凝土 / 装潢家具 / 板条 / 门窗 / 地板 / 木箱等



型号 Model	钉长 Nail length		钉径 Nails Shank		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight		外箱尺寸 Dimensions	装箱数 / 台 Packing
	inch	mm	inch	mm			G.W	N.W		
FST35	3/4"~1-3/8"	20~35	0.07"	Φ 1.83	60~100PSI 0.4~0.7MPa	50pcs	2.3	1.5	655×375×280	8
FST50	3/4"~2"	20~50	0.07"	Φ 1.83	80~120PSI 0.5~0.8MPa	50pcs	2.4	1.9	660×375×270	8



Concrete Nailer 钢钉枪



ST64 / ST64-L / ST38

Features and Applications

- Magazine with harden treatment for long life and smooth
- Strong strength, and rapid air-return
- Concrete/Furniture upholstery/Cabinet etc.

特点和用途

- 采用硬质处理弹匣，使用寿命更长久
- 力道强劲，回气快速
- 混凝土 / 装潢家具 / 板条 / 门窗 / 地板 / 木箱等



型号 Model	钉长 Nail length		钉径 Nails Shank		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight		外箱尺寸 Dimensions	装箱数 / 台 Packing
	inch	mm	inch	mm			G.W	N.W		
ST64 / ST64-L	1"~2-1/2"	25~64	0.087" × 0.087"	Φ 2.2	80~120PSI 0.5~0.8MPa	80pcs	3.6	3.1	720 × 350 × 300	6
ST38	1"~2-1/2"	25~38	0.087" × 0.087"	Φ 2.2	80~120PSI 0.5~0.8MPa	80pcs	2.3	1.9	660 × 375 × 370	8



Deco-Nailer 图钉枪



0630 / 0750 / 0860 / 0960 / 1080 / 1170
1230 / 1420 / 1620 / 1820 / 2030

Features and Applications

- The nozzle is made of 304 stainless steel,
- There are permanent magnets for quick Load the nail.
- Used in making High-class leather sofa、furniture、car seat cushions etc.

特点和用途

- 枪嘴采用 304 不锈钢制造，带永久磁铁，快速装钉
- 用于高级真皮沙发、布艺沙发、汽车坐垫等的制作



规格型号	钉帽直径	规格型号	钉帽直径
0630	6.3mm	1230	12.3mm
0750	7.5mm	1420	14.2mm
0860	8.6mm	1620	16.2mm
0960	9.6mm	1820	18.2mm
1080	10.8mm	2030	20.3mm
1170	11.7mm		

Φ 6.3-Φ 18.2mm

型号 Model	钉长 Nail length		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight		外箱尺寸 Dimensions	装箱数 / 台 Packing
	inch	mm			G.W	N.W		
1170	5/8"~1-9/16"	16~40	60~100PSI 0.4~0.7MPa	1pcs	1.0	0.7	260x185x67	1






CN55 / CN70 / CN80 / CN90

Features and Applications

- 360-degree rotatable and adjustable exhaust cover
- Long service life of alloy steel casting moulding gun head
- Used for fastening wooden pallets, wooden houses, furniture and wooden frames

特点和用途

- 360 度可旋转调节排气盖
- 合金钢铸造成型枪头超长使用寿命
- 用于木托盘，木质房屋，家具及木质框架的紧固



光杆 环纹 螺纹



型号 Model	钉直径 Nail Diameter	钉长 Nail Length	钉帽直径 Nail head diameter	每一支钉空气消耗量 Air consumption per nail	卷钉柄型 Coil nail shank			适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight	外箱尺寸 Dimensions	装箱数 / 台 Packing
	mm	mm	mm		螺纹	光杆	环纹			KG	mm	(PCS/CTN)
CN55	2.1-2.3	25-57	5.2-5.8	0.6mpa 时 0.92 公升	螺纹	光杆	环纹	0.57-0.78MPa	300-400pcs	14.3	580×345×345	4
CN70	2.3-2.9	45-70	6-6.8	0.62mpa时1.48公升	螺纹	光杆	环纹	0.57-0.78MPa	225-300pcs	18.7	601×387×367	4
CN80	2.5-3.1	50-80	6-7	0.62mpa时1.6 公升	螺纹	光杆	环纹	0.57-0.78MPa	225-300pcs	20	603×382×401	4
CN90	2.5-3.3	50-90	6-7.1	0.62mpa时1.68 公升	螺纹	光杆	环纹	0.78-0.98MPa	225-300pcs	20	603×382×401	4



Photo frame
相框



Carton
纸箱



Furniture
家具




Shoes
鞋子




Horticulture
园艺



Car seat
汽车座椅



Fences Greenhouses
铁网



bamboo fence
篱笆



Pallet
托板



Architecture
建筑



Millwork
木工制品






RN9021

Features and Applications


- It is mainly used for fastening the wooden frame structure of houses.
- 21° nail row Angle to reduce collision in small space operation.

特点和用途

- 主要用于房屋木框架结构的紧固作业。
- 21° 排钉角度，减少狭小空间操作碰撞。



21° Plastic collated strip nails



型号 Model	操作压力 Operating Pressure	负载能力 Load Capaity	重量 kg Weight	外箱尺寸 Dimensions	装箱数 / 台 Packing
RN9021	70 – 120 psi(5 – 8.3bar)	64-70	21	620*480*420mm	4



Photo frame
相框




Carton
纸箱



Furniture
家具



Shoes
鞋子




Horticulture
园艺




Car seat
汽车座椅



Fences Greenhouses
铁网



bamboo fence
篱笆



Pallet
托板



Architecture
建筑



Millwork
木工制品



CN45A

Features and Applications


- Fastening asphalt and fiberglass shingles;
- Fastening lath wire on plywood;
- Siding installation and wooden box assembly.

特点和用途

- 紧固沥青和玻璃纤维瓦；
- 将板条线紧固在胶合板上；
- 壁板安装和木箱组装。



15° wire welded
coil roofing nails



型号 Model	负载能力 Load Capaity	操作压力 Operating Pressure	重量 kg Weight	外箱尺寸 Dimensions	装箱数 / 台 Packing
CN45A	120nails	70 – 120 psi(5 – 8.3 bar)	15	590*330*330mm	4



Photo frame
相框



Carton
纸箱



Furniture
家具



Shoes
鞋子




Horticulture
园艺



Car seat
汽车座椅



Fences Greenhouses
铁网



bamboo fence
篱笆



Pallet
托板



Architecture
建筑



Millwork
木工制品

Air Remover



BD70 NP50

Features and Applications

- This product is mainly used to remove nails from waste wood and building template.

特点和用途

- 本产品适用于废旧木材回收以及建筑模板利用过程中钉子去除
力量强，回气快，快速退钉
用于旧木料 / 建筑模板 / 木箱等钉子的拆卸



型号 Model	钉长 Nail length		拔钉直径 Nail diameter	适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight		外箱尺寸 Dimensions	装箱数 / 台 Packing
	inch	mm				G.W	N.W		
BD70	3/4- 2-3/4	20-70mm	2-3.5mm	90-120PSI 0.6-0.8MPa	1pcs	1.64	1.44	570 × 372 × 302	10
NP50	2"	50		60-100PSI 0.4-0.7MPa	1pcs	2.0	1.2	505 × 390 × 245	10



Photo frame
相框



Carton
纸箱



Furniture
家具



Shoes
鞋子



Horticulture
园艺



Car seat
汽车座椅



Fences
铁网



bamboo fence
篱笆



Pallet
托板



Architecture
建筑



Millwork
木工制品

Flexible Stapler 片钉枪




P515 P515-1

Features and Purpose

- Magazine with harden treatment for long life and smooth
- Strong strength, and rapid air-return
- The back of the fixed frame / frame

特点和用途

- 采用硬质处理弹匣，使用寿命更长久
- 力道强劲，回气快速
- 相框 / 画框的后部固定



型号 Model	钉长 Nail length		钉径 Nails Shank		肩宽 Crown		适用气压 Operating Pressure	装订量 Load Capacity	重量 kg Weight		外箱尺寸 Dimensions	包装数 / 台 Packing
	inch	mm	inch	mm	inch	mm			G.W	N.W		
P515	5/8"	15	0.014"	0.35	1/4"	5	60-100PSI 0.4-0.7MPa	300pcs	1.0	0.9	480 × 235 × 335	10



Photo frame
相框



Carton
纸箱



Furniture
家具




Shoes
鞋子



Horticulture
园艺



Car seat
汽车座椅



Fences
铁网



bamboo fence
篱笆



Pallet
托板



Architecture
建筑



Millwork
木工制品



- Indepent packed
in bags spring
mattress
- Automobile
mattress
manufacture
- Pet animal cage facture
The meshy structure
buckles tightly




SC7E / SC7C / SC760

Features and Applications

- Car seat, sofa cushion mattress, pet cage binding

特点和用途

- 汽车座椅，沙发坐垫床垫，宠物笼等网状结构材料的扣紧



型号 Model	钉高 Nail high	钉径 Nails Shank	钉宽 ails wide	成型的圈内径 Inner diameter of finished ring	适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight	外箱尺寸 Dimensions	装箱数 / 台 Packing
	mm	mm	mm	mm			N.W	mm	(PCS/CTN)
SC7E	12	1.8	24	4.8-8.7mm	60-100PSI 0.4-0.8MPa	100pcs	2.4	510 × 404 × 239	5
SC7C	12	1.8	24	3.2-5.6mm	60-100PSI 0.4-0.8MPa	100pcs	2.4	510 × 404 × 239	5
SC760	8.7	1.8	16.9	3.2-4.1mm	60-100PSI 0.4-0.8MPa	100pcs	2.4	510 × 404 × 239	5

- Indepent packed
in bags spring
mattress
- Automobile
mattress
manufacture
- Pet animal cage facture
The meshy structure
buckles tightly

SR8

Features and Applications

- Easy to operate, labor-saving easy to hit
- high-quality steel forged durable and not easy to rust
- used for binding mattresses, fences, pet cages

特点和用途

- 操作简单 省力易打
- 优质钢材锻造 坚固耐用 不易生锈
- 用于床垫 栅栏 宠物笼绑扎

Nail C20 1.1KG/Box Unit of size: 130*100*60mm 1Box
SR8 0.4KG/Unit Unit of size: 200*100*40mm 1Unit




HR22

Features and Applications

- Easy to operate, labor-saving easy to hit
- high-quality steel forged durable and not easy to rust
- used for binding mattresses, fences, pet cages

特点和用途

- 操作简单 省力易打
- 优质钢材锻造 坚固耐用 不易生锈
- 用于床垫 栅栏 宠物笼绑扎





M66

Features and Applications

- Bed mesh manufacturing
- Car seat cushion manufacturing spring sofa manufacturing
- Pet carrier manufacturing, The mesh structure is fastened

特点和用途

- 床网製造
- 汽车座垫製造弹簧沙发製造
- 宠物笼製造，网状结构扣紧



型号 Model	尺寸 Size	总重 Package Total Weight	工具毛重 Gross Weight	工具淨重 Net Weight	装箱数 / 台 Packing
	(LxWxH)	KG	KG	KG	(PCS/CTN)
M66	42x20x12cm	20.7	3.38	3.08	6

- Manufactures staline
- Automobile mattress manufacture
- Spring sofa manufacture
- Pet animal cage facture
The meshy structure buckles tightly




PA35

Features and Applications

- One-piece Piston
- Anti-abrasive material
- High work efficiency
- Used for fastening composite board、ship、yacht and furniture

特点和用途

- 一体式枪针、耐磨损，工作效率高
- 用于船舶、游艇、家具、合成板紧固等



型号 Model	钉长 Nail length		钉径 Nails Shank		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight		外箱尺寸 Dimensions	装箱数 / 台 Packing
	inch	mm	inch	mm			G.W	N.W	mm	(PCS/CTN)
PA-35	3/4"~1-3/8"	12~38	0.07"×0.07"	1.8×1.8	60~100PSI 0.4~0.7MPa	50pcs	1.8	1.4	655x375x285	8

- Photo frame 相框
- Carton 纸箱
- Furniture 家具
- Shoes 鞋子
- Horticulture 园艺
- Car seat 汽车座椅
- Fences Greenhouses 铁网
- bamboo fence 篱笆
- Pallet 托板
- Architecture 建筑
- Millwork 木工制品

Plastic Nailer 塑料钉枪




PA1310 PA1310-S

Features and Applications

- One-piece Piston
- Anti-abrasive material
- High work efficiency
- Used for fastening composite board、ship、yacht and furniture

特点和用途

- 一体式枪针、耐磨损，工作效率高
- 用于船舶、游艇、家具、合成板紧固等



型号 Model	钉长 Nail length		钉径 Nails Shank		肩宽 Crown		适用气压 Operating Pressure	装钉量 Load Capacity		重量 kg Weight		外箱尺寸 Dimensions	装箱数 / 台 Packing
	inch	mm	inch	mm	inch	mm				G.W	N.W	mm	(PCS/CTN)
PA1310	3/8"	10	0.07"×0.04"	1.8×1.1	3/8"	10	60-100PSI 0.4-0.7MPa	50pcs		1.3	1.1	375×248×305	10



Headless Pinner 蚊钉枪




P625 (23GA) P630 (23GA)

Features and Applications

- Magazine with harden treatment for smooth and longer life
- Strong strengt,and rapid air-return
- Used for small woodworking,such as upholstery and production of craft gift boxes

特点和用途

- 采用硬质处理弹匣，使用寿命更长久
- 力道强劲，回气快速
- 装潢家具制造 / 工艺礼品盒的制做等细小木工



型号 Model	钉长 Nail length		钉径 Nails Shank		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight		外箱尺寸 Dimensions		装箱数 / 台 Packing
	inch	mm	inch	mm			G.W	N.W	mm	(PCS/CTN)	
P625	1/2"~1"	12~25	0.025"	Φ0.63	60-100PSI 0.4-0.7MPa	100pcs	1.1	0.9	590×245×370		10
P630	1/2"~1"	12~30	0.025"	Φ0.63	60-100PSI 0.4-0.7MPa	100pcs	1.1	0.9	590×245×370		10






BWQ120 BWQ100

Features and Applications

- Strong strength,and rapid air-resolve
- All kinds of external thermal insulation layer installation and fastening etc.

特点和用途

- 力量强，回气快，打钉快速
- 用于各种外墙保温层的安装紧固



型号 Model	钉长 Nail length		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight		外箱尺寸 Dimensions	装箱数 / 台 Packing
	inch	mm			G.W	N.W		
BWQ120	2"	50	60-100PSI 0.4-0.7MPa	1pcs	3.2	2.6	565 × 405 × 335	5
BWQ100	2"	50	60-100PSI 0.4-0.7MPa	1pcs	3.2	2.6	565 × 405 × 335	5



Photo frame
相框




Carton
纸箱



Furniture
家具




Shoes
鞋子




Horticulture
园艺



Car seat
汽车座椅



Fences
铁网



bamboo fence
篱笆



Pallet
托板



Architecture
建筑



Millwork
木工制品



SCREWDRIVER

Features and Applications

- Double hammer percussion structure, stable torque output.
- Excellent material selection, precise gear adjustment, easy to change direction.
- Suitable for assembly line, furniture production, woodworking and other industries.

特点和用途

- 双锤式打击结构，扭力输出平稳。
- 选材精良，调挡精准，换向轻松。
- 适用于流水线装配，家具生产，木工等行业。



型号 Model	空转转速 Idle speed	工作气压 Working air pressure	耗气量 Air consumption	进气口径 Intake caliber	扭力范围 Torque range	工作扭力 3-5 秒 Working torque 3-5 seconds	螺栓能力 Bolt capacity	数量 Quantity	净重 Net weight
5H	10000RPM	6.3kg/cm2	0.2m3/min	1/4	15-50N.M	6-13N.M	M3-M4	25 支 / 件	0.8kg
6H	11000RPM	6.3kg/cm2	0.2m3/min	1/4	17-55N.M	8-15N.M	M4-M5	25 支 / 件	0.8kg
8H	9000RPM	6.3kg/cm2	0.3m3/min	1/4	20-65N.M	20-40N.M	M6-M8	25 支 / 件	1.1kg
10H	8000RPM	6.3kg/cm2	0.3m3/min	1/4	30-75N.M	30-50N.M	M8-M10	25 支 / 件	1.2kg



Air Sander

Features and Applications

- Automobile surface grinding
- Furniture and woodworking
- Hardware machinery and electrical appliances
- It needs to be lubricated daily

特点和用途

- 汽车表面打磨
- 家具 木工行业
- 五金机械 电器
- 每天需加润滑油

型号 Model	转速 Speed	砂轮直径 Sanding Pad	进气口 Air inlet	管径 Pipe diameter	耗气量 Gas consumption	使用压力 Use pressure
	rpm	mm		mm		
SQUARE AIR SANDER	10000	78×100	1/4	6.5×10	8cfm/0.23m³/min	90PSI
TRIANGLE AIR SANDER	10000	100×110	1/4	6.5×10	8cfm/0.23m³/min	90PSI
6" AIR SANDER	9200	6"/150mm	1/4	6.5×10	8cfm/0.23m³/min	90PSI
5" AIR SANDER	10000	5"/125mm	1/4	6.5×10	8cfm/0.23m³/min	90PSI

P88U


Features and Applications

- Rapid working speed
- Non-stuck Nail Structure
- Used for the connection and fixation of sofa /mattress/palm/cushion/spring and wrapped cloth.

特点和用途

- 打钉速度快，不易卡钉
- 用于沙发、床垫、棕垫等弹簧、裹里布的连接固定

型号 Model	钉长 Nail length		钉径 Nails Shank		适用气压 Operating Pressure	装钉量 Load Capacity	重量 kg Weight		外箱尺寸 mm Dimensions	装箱数 / 台 Packing (PCS/CTN)
	inch	mm	inch	mm			G.W	N.W		
P88U	3/4"~1-3/8"	18~22	0.047"×0.024"	1.2x0.6	60~100PSI 0.4~0.7MPa	200pcs	2.3	2.18	362x80x303	1



相框

纸箱

家具

鞋子

园艺

汽车座椅

铁网

篱笆

托板

建筑

木工制品



Plastic Nails

Features and Applications


- Manufactured with a blend of polymer resin and fiberglass
- 100% steel and metal free
- Can be sanded, shaped, and cut without damage to router bits, cutting blades, or sanding belts
- Used for fastening composite board or wood、furniture、ship and yacht.

特点和用途

- 不含金属不生锈，不腐蚀木材，使用钉子后的木板可切、可锯不伤锯片，不起火花。
- 钉子与木材钉在一起，坚固、稳定，并可以被涂成天然颜色
- 柔韧性和硬度都经过特殊设计，避免码钉风干，老化，碎裂以及环保等系列问题。
- 主要用于板材修芯、拼板，多层生态板加工等



PA1310-S



PA1314

Plastic Nails

Features and Applications

- Manufactured with a blend of polymer resin and fiberglass
- 100% steel and metal free
- Can be sanded, shaped, and cut without damage to router bits, cutting blades, or sanding belts
- Used for fastening composite board or wood、packaging、furniture、ship and yacht etc..

特点和用途

- 复合材料钉，完全不含金属，不生锈。可用于微波环境，没有火花隐患。
- 可装订木材，使用钉子后的木板可切、可锯不伤锯片，并可以被涂成天然颜色。
- 柔韧性和硬度都经过特殊设计，避免码钉风干，老化，碎裂以及环保等系列问题。
- 主要用于家具制造，产品紧固，包装，海洋船舶和轮胎翻新等。



PU tube

Material:TPU polyurethane


Temp range:-30~60° C

Operating pressure:0~1.0Mpa

Limit pressure:1.2Mpa

Fluid:No corrosive gas,liquid

Application:Woodworking/air compressor industrial automation,etc





MG572 / MG308 / MG680

Features and Applications

- Ideal for deburring metal parts, mold processing, aviation, wood carving, and electronics. Concentric accuracy: 0.02–0.03mm.
- Custom wear-resistant blades, Japanese bearings for extended lifespan. High-speed motor ensures strong power and improved efficiency.

特点和用途

- 适用于各行业，如五金件去毛刺，模具加工，航空，木器雕刻，电子产品加工，同心精度控制在 0.02–0.03mm。
- 叶片采用耐磨板材定制，日本轴承，使得寿命更长，高转速马达，动力强有助于提高作业效率。



型号 Model	夹头尺寸 Chuck size	转速 Rotational speed	耗气量 Air consumption	净重 Net weight	长度 Length	使用压力 Service pressure	进气接头 Intake Joint
	mm	rpm	cfm(L/min)	g	mm	kg/cm ²	inch
MG572	2.38–3	65000	2.6 (75)	100	138	6.35	1/4
MG308	2.38–3	56000	2.6 (75)	80	140	6.35	1/4
MG680	2.38–3	60000	2.6 (75)	90	140	6.35	1/4



MF06A / MF06U / MF07U

Features and Applications

- Designed for mold polishing, deburring electronic components, and precision aerospace grinding/polishing.
- Turbine structure delivers powerful reciprocating filing, with 0.3mm or 0.6mm stroke options.

特点和用途

- 适用于模具抛光，电子配件去毛刺加工，航天航空精密打磨抛光。
- 采用涡轮式结构，输出往复式强力锉动，行程有 0.3mm 与 0.6mm。



型号 Model	行程 Journey	转速 Rotational speed	净重 Net weight	长度 Length	使用压力 Service pressure	进气接头 Intake Joint
	mm	rpm	g	mm	kg/cm ²	inch
MF06A	0.6	30000	180	200	6.35	1/4
MF06U	0.6	36500	190	185	6.35	1/4
MF07U	0.7	35000	180	185	6.35	1/4